BINTRAC®

BinTrac[®] A-Frame

Patented design offers many advantages.

Not all bin weighing systems are created equal.







Easy Installation

- ▶ Bin is only raised 1/2" minimizes repositioning of augers
- Patented A-frame bracket serves as lifting mechanism - no jacks or cranes required
- No shimming or blocking is required each leg is leveled by simply turning the lifting bolt
- No need to apply a known weight for load cell calibration
 simply enter bin weight and and system capacity
- Bin does not need to be completely emptied prior to installation - ideal for new or retrofit sites



Consistent Accuracy





- Temperature compensated load cells provide consistent accuracy over a wide temperature range
- Patented bracket and S-type load cell design minimizes side/wind loading effects and inaccuracies typically seen on shear-beam based offerings
- ► A-frame bracket protects load cell against ice/snow and rain

High Reliability

- Load cells are positioned high above concrete pad, away from the elements
- One-year exclusive warranty covers lightning damage to load cells - extended warranty available
- Industrial grade finish on brackets and load cells to protect against corrosion
- Over 15 years of proven performance on thousands of bins world-wide
- ▶ High quality cable with robust strain relief at load cell exit point





I purchased the BinTrac bin weighing system to track feed consumption, feed deliveries, and monitor inventory to help manage overall flock performance. I replaced a different brand of bin scale on my farm due to inaccuracies and periodic loss of calibration. Not only is the BinTrac product easy to install, I am very impressed with the system's accuracy and reliability. BinTrac has clearly proven to me the importance of investing in a bin monitoring system that consistently delivers accurate feed data.



James Yoder Owner Chick Pro & Hillcrest Farms

